



1000VAC/DC 10x38mm
DMI Application

DOC.NO.:
ISS-10HVB.xxA
Series

INDIVIDUAL SPECIFICATION SHEET

Product Name: 1000VAC/DC 10x38mm DMI Application

Part Number: 10HVB.xx Series

Revision: A



Dongguan TLC Electronic Technology Co., LTD

No.18,5th GaoLi Road,TangXia Town,DongGuan,GuangDong,P.R China 523710

TEL: 86-0769-3892 0511

FAX: 86-0769-8793 2077

Http: www.tlcet.com.cn

Rev.	Effective Date	Changed Contents
A	2018-3-15	New release

The individual specification sheet are the property of Dongguan TLC electronic technology Co.,Ltd and shall not be copied or used as commercial purposes without permission.

PREPEARED BY

APPROVED BY

Description

- Fast Acting, high breaking capacity under 1000VAC/DC
- 10x38mm physical size
- Ceramic tube, Silver plated copper cap construction
- Design For DMI application (Multi-Meters)
- RoHS and Lead Free


Specifications

Specification					
Part No.	Rated Voltage	Rated Current	Breaking Capacity	Certification	
				UL	TUV
10HVB.0.44	1000Vac 1000Vdc	0.44A	30KA 50kA *	•	•
10HVB.0.5		0.5A		•	•
10HVB.1		1A		•	
10HVB.1.5		1.5A		•	
10HVB.2		2A		•	
10HVB.4		4A		•	•
10HVB.10		10A		•	•
10HVB.11		11A		•	•
10HVB.12		12A		•	•
10HVB.15		15A		•	•


* 1000Vac/50kA Breaking Capacity certified by TUV.

Dimension(Unit:mm)

Standard cylindrical, ordering code – 10HVB.xxA




With bolt-in terminals, ordering code -10HVB.xxA-AP



Time-Current Characteristics

Time Current Curve



Carton Quantity

10 pcs in 1 carton

